Author Index Vol. 473

Amiot, J., see Lemieux, L. 189
D'Arpino, C., see Signoretti, E. C. 301
Årstrand, K., see Kågedal, B. 359
Ashraf, M., see Singh, A. K. 215
Baba, Y., see Katoh, H. 241
Barman, T., see Guasch, A. 281
Barthomeuf, C.
Application of enzyme purification processes to proteolytic enzymes (Review) 1
Bechalany, A.
——, Röthlisberger, T., El Tayar, N. and Testa, B.
Comparison of various non-polar stationary phases used for assessing lipophilicity 115
Bellocq, J., see Garrigues, P. 207
Bemgård, A.
—— and Blomberg, L.
Some factors affecting the precision in the determination of retention indices on polar capillary columns for gas chromatophy 37
Biaggi-McEachern, M., see Binder, S. R. 325
Bicchi, C.
——, Rubiolo, P. and Frattini, C.
Capillary gas chromatography–Fourier transform infrared spectroscopy of pyrrolizidine alkaloids of *Seneco inaequidens* DC. 161
Biljon, P. L. van, see Van Biljon, P. L. 305
Binder, S. R.
——, Regalia, M., Biaggi-McEachern, M. and Mazhar, M.
Automated liquid chromatographic analysis of drugs in urine by on-line sample cleanup and isocratic multicolumn separation 325
Blomberg, L., see Bemgård, A. 37
Bosserhoff, A.
——, Wallach, J. and Frank, R. W.
Micropreparative separation of peptides derived from sodium dodecyl sulphate-solubilized proteins 71
Bousquet, J.-F., see Kollmann, A. 293
Bradshaw, J. S., see Tarbet, B. J. 103
Brenn, E., see Gianesello, V. 343
Bruner, F.
——, Crescentini, G., Mangani, F. and Lattanzi, L.
New perspectives in capillary chromatography 93
Bürki, C., see Häkkinen, V. M. A. 353
Crescentini, G., see Brunner, F. 93
Cuchillo, C., see Guasch, A. 281
Dadgar, D., see Kelly, M. T. 53
Dezaro, D. A., see Springston, S. R. 79
Drabowicz, J.
——, Kotyński, A., Kudzin, Z. H. and Skowroński, R.
Trifluoroacetic anhydride–sodium iodide as a reagent for the selective detection of nitrones and nitroxide radicals by thin-layer chromatography 287
Druez, O., see Garrigues, P. 207
Edholm, L.-E., see Walhagen, A. 371
Eglinton, G., see Kaur, S. 135
El Tayar, N., see Bechalany, A. 115
Evershed, R. P., see Kaur, S. 135
Figini, G., see Gianesello, V. 343
Finlinson, A. C., see Tarbet, B. J. 103
Frank, R. W., see Bosserhoff, A. 71
Fransson, B.
——, Grehn, L. and Ragnarsson, U.
Liquid chromatographic separation of acidic phosphoserine peptides on macroporous copoly(styrene–divinylbenzene) using amines to regulate retention 63
Frattini, C., see Bicchi, C. 161
Garrigues, P.
——, Radke, M., Druez, O., Willsch, H. and Bellocq, J.
Reversed-phase liquid chromatographic retention behaviour of dimethylphenanthrene isomers 207
Gazzaniga, A., see Gianesello, V. 343
Gianesello, V.
——, Brenn, E., Figini, G. and Gazzaniga, A.
Determination by coupled high-performance liquid chromatography–gas chromatography of the β-blocker levomoprolol in plasma following ophthalmic administration 343
Gill, J. P., see Kaur, S. 135
Gordon, B., see Singh, A. K. 215
Granley, K., see Singh, A. K. 215
Grehn, L., see Fransson, B. 63
Grob, K., Jr.
—— and Z. Li
Introduction of water and water-containing solvent mixtures in capillary gas chromatography. I. Failure to produce water-wettable precolumns (retention gaps) 381
Introduction of water and water-containing solvent mixtures in capillary gas chromatography. II. Wettability of precolumns by mixtures of organic solvents and water; retention gap techniques 391

Coupled reversed-phase liquid chromatography–capillary gas chromatography for the determination of atrazine in water 423
Grob, K., Jr.
—— and Müller, E.
Introduction of water and water-containing solvent mixtures in capillary gas chromatography. IV. Principles of concurrent solvent evaporation with co-solvent trapping 411
——, Neukom, H. and Li, Z.
Introduction of water and water-containing solvent mixtures in capillary gas chromatography. III. Water-resistant deactivation of uncoated precolumns? 401
——, see Häkkinen, V. M. A. 353
Guasch, A.
——, Barman, T., Travers, F. and Cuchillo, C. M.
Coupling of proteolytic quenching and high-performance liquid chromatography to enzyme reactions. Applications to bovine pancreatic ribonuclease 281
Häkkinen, V. M. A.
——, Grob, K., Jr. and Bürki, C.
Analysis of dicamba in tobacco by on-line coupled liquid chromatography–gas chromatography 353
Hansson, C., see Kågedal, B. 359
Hjérten, S.
——, Liao, J.-L. and Zhang, R.
High-performance liquid chromatography on continuous polymer beds 273
Hoffman, N. E.
—— and Rahman, A.
Computation of band shape for strong injection solvent and weak mobile phase combinations in liquid chromatography 260
Huang, E. C., see Tarbet, B. J. 103
Ishida, T., see Katoh, H. 241
Jandik, P., see Jones, W. R. 171
Jeffcoat, R., see Lindner, N. M. 227
Johnson, D. F., see Tarbet, B. J. 103
Jones, W. R.
——, Jandik, P. and Swartz, M. T.
Automated dual column coupled system for simultaneous determination of carboxylic acids and inorganic anions 171
Juvancz, Z., see Tarbet, B. J. 103
Kågedal, B.
——, Källberg, M., Årstrand, K. and Hansson, C.
Automated high-performance liquid chromatographic determination of 5-S-cysteinyl-3,4-dihydroxyphenylalanine in urine 359
Källberg, M., see Kågedal, B. 359
Kataoka, H.
——, Okazaki, T. and Makita, M.
Gas chromatographic analysis of sulphonic acids as their sulphonamide derivatives 276
Katoh, H.
——, Ishida, T., Baba, Y. and Kiniwa, H.
Optical resolution of amino acids, peptides and hydroxycarboxylic acids using a new chiral column for ligand exchange chromatography 241
Kaur, S.
——, Gill, J. P., Evershed, R. P., Eglinton, G. and Maxwell, J. R.
Computerised gas chromatographic-mass spectrometric and high-performance liquid chromatographic analysis of sedimentary benzoporphyrins 135
Kelly, M. T.
——, Smyth, M. R. and Dadgar, D.
Retention characteristics in high-performance liquid chromatography of basic drugs and plasma extracts on an alumina column 53
Kindberg, C. G.
——, Riley, C. M., Stobaugh, J. F. and Slavik, M.
Analysis of 5-fluorouracil in plasma by precolumn derivatization with 4-bromomethyl-7-methoxycoumarin, followed by multi-dimensional high-performance liquid chromatography 431
Kiniwa, H., see Katoh, H. 241
Kollmann, A.
——, Rouxel, T. and Bousquet, J.-F.
Efficient clean up of non-aqueous plant extracts using reversed-phase cartridges. Applications to the determination of phytoalexins from *Brassica* spp. by high-performance liquid chromatography 293
Korhonen, I. O. O.
—— and Mäntykoski, K. M.
Gas–liquid chromatographic analyses. XLIX. Polychlorinated dibenzo-*p*-dioxins and dibenzofurans on low-polarity NB-54 and NB-1701 capillary columns 153
Kotyński, A., see Drabowicz, J. 287
Kudzin, Z. H., see Drabowicz, J. 287
La Torre, F., see Signoretti, E. C. 301
Lattanzi, L., see Bruner, F. 93
Lee, M. L., see Tarbet, B. J. 103
Lemieux, L.
—— and Amiot, J.
Application of reversed-phase high-performance liquid chromatography to the separation of peptides from phosphorylated and dephosphorylated casein hydrolysates 189
Li, Z., see Grob, K., Jr. 381, 391, 401, 423
Liao, J.-L., see Hjertén, S. 273

Lindner, N. M.
——, Jeffcoat, R. and Low, C. R.
Design and applications of biomimetic anthraquinone dyes. Purification of calf intestinal alkaline phosphatase with immobilised terminal ring analogues of C.I. Reactive Blue 2 227
Lowe, C. R., see Lindner, N. M. 227
Makita, M., see Kataoka, H. 276
Mangani, F., see Bruner, F. 93
Mäntykoski, K. M., see Korhonen, I. O. O. 153
Markides, K. E., see Tarbet, B. J. 103
Maxwell, J. R., see Kaur, S. 135
Mazhar, M., see Binder, S. R. 325
Mishra, U., see Singh, A. K. 215
Müller, E., see Grob, K., Jr. 411
Neukom, H., see Grob, K., Jr. 401
Okazaki, T., see Kataoka, H. 276
Olivier, S. P., see Van Biljon, P. L. 305
Ozawa, H.
—— and Tsukioka, T.
Determination of sodium monofluoroacetate in soil and biological samples as the dichloroanilide derivative 251
Radke, M., see Garrigues, P. 207
Ragnarsson, U., see Fransson, B. 63
Rahman, A., see Hoffman, N. E. 260
Ramus, T. L.
—— and Thomas, L. C.
Factorial optimization for flows in the Hall electrolytic conductivity detector 27
Rao, M. M., see Singh, A. K. 215
Regalia, M., see Binder, S. R. 325
Riekkola, M.-L.
Applications of on-line coupled liquid chromatography–gas chromatography 315
Riley, C. M., see Kindberg, C. G. 431
Röthlisberger, T., see Bechalany, A. 115
Rouse, C. A., see Tarbet, B. J. 103
Rouxel, T., see Kollmann, A. 293
Rubino, F. M.
Silylaldonitrile derivatives for the determination of sugars by gas chromatography–mass spectrometry 125
Rubiolo, P., see Bicchi, C. 161
Signoretti, E. C.
——, D'Arpino, C. and La Torre, F.
Determination by high-performance liquid chromatography of clenbuterol in commercial syrup formulations 301
Singh, A. K.
——, Ashraf, M., Granley, K., Mishra, U., Rao, M. M. and Gordon, B.
Screening and confirmation of drugs in horse urine by using a simple column extraction procedure 215
Skowroński, R., see Drabowicz, J. 287
Smyth, M. R., see Kelly, M. T. 53
Springston, S. R.
—— and Dezaro, D. A.
Non-extractable stationary phases for gas chromatography cross-linked by exposure to low-temperature plasmas 79
Stobaugh, J. F., see Kindberg, C. G. 431
Sumpter, S. R., see Tarbet, B. J. 103
Swartz, M. T., see Jones, W. R. 171
Tarbet, B. J.
——, Bradshaw, J. S., Johnson, D. F., Finlinson, A. C., Rouse, C. A., Jones, K., Sumpter, S. R., Huang, E. C., Juvancz, Z., Markides, K. E. and Lee, M. L.
Synthesis and structural considerations of oligoethylene oxide-containing polysiloxane stationary phases in capillary gas and supercritical-fluid chromatography 103
Tayar, N., El, see Bechalany, A. 115
Testa, B., see Bechalany, A. 115
Thomas, L. C., see Ramus, T. L. 27
Torre, F. La, see Signoretti, E. C. 301
Travers, F., see Guasch, A. 281
Tsukioka, T., see Ozawa, H. 251
Van Biljon, P. L.
—— and Olivier, S. P.
Determination of sugars in polysaccharide hydrolysates by anion-exchange chromatography 305
Walhagen, A.
—— and Edholm, L.-E.
Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 371
Wallach, J., see Bosserhoff, A. 71
Walling, J. F.
Membership values as indicators of complications in chromatography 267
Willsch, H., see Garrigues, P. 207
Zhang, R., see Hjertén, S. 273